



## WABI SABBIA LAPATTO RECT. 60X60

| REFERENCE      | SIZE (cm) | THICKNESS (mm) | GROUP     |
|----------------|-----------|----------------|-----------|
| <b>A034205</b> | 60X60     | 10,00          | PC BIA GL |

### DIMENSIONS AND SURFACE PROPERTIES

|   |              |                                  |
|---|--------------|----------------------------------|
| Size, thickness, side straightness, flatness, orthogonality | UNE-EN 14411 | It accomplished all requirements |
|---|--------------|----------------------------------|

### PHYSICAL PROPERTIES

|                                      |                 |                         |
|--------------------------------------|-----------------|-------------------------|
| Water absorption capacity            | EN ISO 10545-03 | < 0,5%                  |
| Flexion resistance                   | EN ISO 10545-04 | => 40 N/mm <sup>2</sup> |
| Abrasion resistance (glazed Ceramic) | EN ISO10545-07  | IV                      |
| Thermal shock resistance             | EN ISO 10545-09 | It stands the test      |
| Cracking resistance                  | EN ISO 10545-11 | It stands the test      |
| Frost resistance                     | EN ISO 10545-12 | It stands the test      |

### CHEMICAL PROPERTIES

|  |                 |     |
|--|-----------------|-----|
| Resistance to acids                                    | EN ISO 10545-13 | ULA |
| Resistance to alcalis                                  | EN ISO 10545-13 | ULA |
| Resistance to cleaning products                        | EN ISO 10545-13 | UA  |
| Resistance to chemical products in swimming pool water | EN ISO 10545-13 | UA  |
| Stains resistance                                      | EN ISO 10545-14 | 5   |

### ANTI-SLIP CHARACTERISTICS

|                            |              |         |
|----------------------------|--------------|---------|
| Slip resistance (Rd)       | UNE-ENV12633 | Class 2 |
| Slip resistance (R)        | DIN 51130    | R10     |
| Slip resistance (barefeet) | DIN 51097    | C       |