



marbles
Nature alive

TODAGRES[®]
THE TECHNICAL PORCELAIN COMPANY



natural connection

MARBLES reúne las colecciones más elegantes, innovadoras y nobles de Todatech, inspiradas en las esculpidas formas onduladas de **Las Capillas de Mármol**. Naturaleza viva, colores y texturas que ofrecen un espectáculo innato capaz de convertir un espacio en un entorno único y singular.

El Porcelánico Técnico TODATECH se desarrolla con la premisa de un futuro sostenible, con el medio ambiente como protagonista y buscando preservar la naturaleza, para que su estética sin límites siga siendo nuestra fuente de inspiración.

MARBLES puts together the most noble, innovative and elegant Todatech collections, inspired by the wavy shapes of **Marble Chappels** and sculptures. Pure nature, colours and textures that offer a display capable of turning a physical space into a unique environment.

TODATECH Technical Porcelain emerges from our will of a sustainable future, putting environment in the centre and seeking to preserve nature, for its limitless forms to keep inspiring us.

technical design

TODATECH es la tecnología cerámica de vanguardia desarrollada por Todagres para la creación y el diseño de superficies porcelánicas técnicas de altas prestaciones, con unas propiedades y cualidades únicas en el mercado:

- Porcelánico técnico de alto tránsito.
- Pulido especial con un 93% de brillo superficial.
- Nivel 5 en facilidad de limpieza.
- Coeficiente 5 en la escala de mohs.
- Alta resistencia al rayado.
- Alta resistencia al impacto.
- Alta resistencia a productos químicos y al manchado.


Gracias a todotech creamos un producto técnico con una versatilidad estética sin límites.

TODATECH is a vanguardist ceramic technology developed by Todagres to design and create high performing technical porcelain surfaces, with outstanding qualities in the market:

- High transit technical porcelain.
- Special polish with 93% surface shine.
- Level 5 for ease of cleaning.
- Coefficient 5 on the mohs scale.
- High resistance to scratches.
- High resistance to impacts.
- High resistance to chemical products and staining.

Thanks to Todatech we are able to create a technical product with no aesthetic limits.


LARA
Lara



600x1200 mm 10 mm 600x1200 mm SLIM
800x800 mm 800x800 mm
400x800 mm 400x800 mm
600x600 mm 600x600 mm
300x600 mm 300x600 mm

natural | polished | bocciardato natural | polished


FOREST
White



600x1200 mm SLIM
200x1200 mm**
800x800 mm
600x600 mm
300x600 mm

natural | polished


FOREST
Blue



600x1200 mm SLIM
200x1200 mm**
800x800 mm
600x600 mm
300x600 mm

natural | polished


ESTATUARIO
Estatuario



600x1200 mm 10 mm 600x1200 mm SLIM
800x800 mm 800x800 mm
600x600 mm
300x600 mm

natural | polished natural | polished

ESTATUARIO
Gold



600x1200 mm SLIM
800x800 mm
600x600 mm
300x600 mm

natural | polished

OTTAWA
Ottawa




600x1200 mm* SLIM
800x800 mm*

polished

**Se realizan bajo pedido.
**They are made under request

*La medida nominal puede variar, consultar en caso de necesitar información concreta.
*The nominal size is subject to variations. Query exact size.

ARAL
Blanco




600x1200 mm
200x1200 mm**
800x800 mm
600x600 mm
300x600 mm



natural | natural R10 silktech | polished

ARAL
Beige




600x1200 mm
200x1200 mm**
800x800 mm
600x600 mm
300x600 mm



natural | natural R10 silktech | polished

ARAL
Blue




600x1200 mm
200x1200 mm**
800x800 mm
600x600 mm
300x600 mm



natural | natural R10 silktech | polished

ALBANY
Albany




600x1200 mm
200x1200 mm**
800x800 mm
600x600 mm
300x600 mm



natural | natural R10 silktech | polished

EGEO
Beige




600x1200 mm*
800x800 mm*
600x600 mm*
300x600 mm*



polished

EGEO
Brown



600x1200 mm*
800x800 mm*
600x600 mm*
300x600 mm*




polished

**Se realizan bajo pedido.
**They are made under request

*La medida nominal puede variar, consultar en caso de necesitar información concreta.
*The nominal size is subject to variations. Query exact size.

JACKSON
Beige




600x1200 mm
800x800 mm
600x600 mm
300x600 mm



polished

JACKSON
Blue




600x1200 mm
800x800 mm
600x600 mm
300x600 mm



polished

JACKSON
Grey




600x1200 mm
800x800 mm
600x600 mm
300x600 mm



polished

PRINCE
White




600x1200 mm*
800x800 mm*
600x600 mm*
300x600 mm*



polished

PRINCE
Black




600x1200 mm*
800x800 mm*
600x600 mm*
300x600 mm*



polished

PRINCE
Gold



600x1200 mm*
800x800 mm*
600x600 mm*
300x600 mm*



polished

*La medida nominal puede variar, consultar en caso de necesitar información concreta.
*The nominal size is subject to variations. Query exact size.

MOON
White



600x1200 mm 10 mm 600x1200 mm SLIM
800x800 mm 800x800 mm
600x600 mm
300x600 mm

natural | polished | bocciardato natural | polished

MOON
Beige



600x600 mm 10 mm
300x600 mm

natural | polished


MOON
Camel



600x600 mm 10 mm
300x600 mm

natural | polished

MOON
Light grey



600x1200 mm SLIM
800x800 mm

polished

MOON
Dark grey



600x600 mm 10 mm
300x600 mm

natural | polished

PERSEO
Perseo



600x1200 mm SLIM
800x800 mm
600x600 mm
300x600 mm

natural | polished

BRIDGE
Terra



600x1200 mm
800x800 mm



polished

BRIDGE
Aqua



600x1200 mm
800x800 mm



polished

LOGAN
Gold



600x1200 mm
800x800 mm



polished

LOGAN
Grey




600x1200 mm
800x800 mm



polished

MARQUINA
Bianco



600x1200 mm
800x800 mm
600x600 mm
300x600 mm



10 mm

600x1200 mm
800x800 mm
600x600 mm
300x600 mm



natural | polished

natural | polished

MARQUINA
Noce



600x1200 mm
800x800 mm
600x600 mm
300x600 mm



10 mm

600x1200 mm
800x800 mm
600x600 mm
300x600 mm



natural | polished

natural | polished

DAKOTA
Beige



600x1200 mm
800x800 mm
600x600 mm
300x600 mm



polished

DAKOTA
Grey




600x1200 mm
800x800 mm
600x600 mm
300x600 mm



polished

OTTAWA

Mosaico Brick
200x700 mm | 7.8"x27.5"



polished

MOON

Mosaico 70x76
300x300 mm | 12"x12"



Colores



natural polished

DAKOTA

Mosaico 50X50
300x300 mm | 12"x12"




Colores



polished

PRINCE

Mosaico Brick
200x700 mm | 7.8"x27.5"




polished

Colores




LARA

Mosaico 70x76
300x300 mm | 12"x12"




natural polished


Peldaños. Steps




Peldaño canto romo con hendiduras



Peldaño angular canto romo con hendiduras




Peldaño torelo con hendiduras



Peldaño torelo angular con hendiduras

RODAPIÉS. SKIRTINGS



Incluidos en todas las series
Included in all series

floor: **forest pulido** 600x1200 mm - wall: **colors silver pulido** 600x1200 mm



floor: **lara pulido** 600x1200 mm



floor: **aral beige pulido** 600x1200 mm - wall: **aral beige pulido** 600x1200 mm



floor: **albany pulido** 600x1200 mm



marbles
Nature alive

floor: colors black natural - pulido 600x1200 mm
wall: ottawa pulido 600x1200 mm - bosco roble natural 200x1200 mm



floor: estatuario pulido 600x1200 mm - marquina noce pulido 600x1200 mm



floor: egeo brown pulido 600x1200 mm



floor: aral blanco pulido 800x800 mm - wall: colors beige pulido 600x1200 mm



marbles
Nature alive

floor: **perseo pulido** 600x1200 mm - wall: **colors almond pulido** 600x1200 mm



floor: **dakota grey pulido** 600x1200 mm



floor: **jackson blue pulido** 600x1200 mm



TODATECH[®]
by TODAGRES

marbles
Nature alive

floor - wall: **bridge aqua pulido** 600x1200 mm - **bosco roble natural R11 silktech** 200x1200 mm



floor - wall: **logan gold pulido** 600x1200 mm - **everstone beige natural R10 silktech** 600x1200 mm



TODATECH
by TODAGRE

floor - wall: **prince white - black** 600x1200 mm - **prince mosaico brick white** 200x700 mm



floor - wall: **moon white pulido** 600x1200 mm



floor: **marquina bianco pulido** 600x1200 mm - wall: **marquina grigio pulido** 600x1200 mm



floor: **marquina noce pulido** 600x1200 mm - wall: **estatuario pulido** 600x1200 mm



ESPECIFICACIONES TÉCNICAS · TECHNICAL SPECIFICATIONS



Pavimento / Revestimiento
Floor tiles / Wall tiles



Rectificado y biselado
Rectified and beveled



Resistente a la helada
Frost resistant



Resistente a los ácidos
Chemical resistant




Alto tránsito
High transit



Resistente a la abrasión profunda
Resistant to deep abrasion

FORMATOS · FORMATS



ACABADOS · FINISHES



Natural
Natural



Natural R10 Silktech
Natural R10 Silktech



Pulido
Polished



Bocciardato
Structured



Espesor 7,5 mm
Thickness 7,5 mm



Espesor 10 mm
Thickness 10 mm

GRUPO DE PRECIO · PRICE GROUP

SERIES	GRUPO DE PRECIOS 7,5 MM / PRICE GROUP 7,5 MM														
	600x1200			200x1200			800x800			600x600			300x600		
	Natural	Natural R10 Silktech	Polished	Natural	Natural R10 Silktech	Polished	Natural	Natural R10 Silktech	Polished	Natural	Natural R10 Silktech	Polished	Natural	Natural R10 Silktech	Polished
ALBANY	G-1260	G-1275	G-1300	G-1325	-	G-1340	G-1260	G-1275	G-1300	G-1175	G-1190	G-1205	G-1140	G-1170	G-1190
ARAL	G-1260	G-1275	G-1300	G-1325	-	G-1340	G-1260	G-1275	G-1300	G-1175	G-1190	G-1205	G-1140	G-1170	G-1190
BRIDGE	-	-	G-1300	-	-	-	-	-	G-1300	-	-	-	-	-	-
DAKOTA	-	-	G-1300	-	-	-	-	-	G-1300	-	-	G-1205	-	-	G-1190
ECEO	-	-	G-1300	-	-	-	-	-	G-1300	-	-	G-1205	-	-	G-1190
ESTATUARIO	G-1260	-	G-1300	-	-	-	G-1260	-	G-1300	G-1175	-	G-1205	G-1140	-	G-1190
FOREST	G-1260	G-1275	G-1300	G-1325	-	G-1340	G-1260	G-1275	G-1300	G-1175	G-1190	G-1205	G-1140	G-1170	G-1190
LARA	G-1260	-	G-1300	-	-	-	G-1260	-	G-1300	G-1175	-	G-1205	G-1140	-	G-1190
LOGAN	-	-	G-1300	-	-	-	-	-	G-1300	-	-	-	-	-	-
MARQUINA	G-1260	-	G-1300	-	-	-	G-1260	-	G-1300	G-1175	-	G-1205	G-1140	-	G-1190
MOON *	G-1260	-	G-1300	-	-	-	G-1260	-	G-1300	-	-	-	-	-	-
OTTAWA	-	-	G-1300	-	-	-	-	-	G-1300	-	-	-	-	-	-
PERSEO	G-1260	-	G-1300	-	-	-	G-1260	-	G-1300	G-1175	-	G-1205	G-1140	-	G-1190
PRINCE	-	-	G-1315	-	-	-	-	-	G-1315	-	-	G-1315	-	-	G-1205

SERIES	GRUPO DE PRECIOS 10 MM / PRICE GROUP 10 MM														
	600x1200		800x800		400x800		600x600		300x600			300x300			
	Natural	Polished	Natural	Polished	Natural	Polished	Natural	Polished	Natural	Polished	Bocciardato	Natural	Polished	Bocciardato	
ESTATUARIO	G-1320	G-1340	G-1320	G-1340	-	-	G-1190	G-1270	G-1160	G-1225	G-1170	-	-	-	
LARA	G-1320	G-1340	G-1320	G-1340	G-1225	G-1310	G-1190	G-1270	G-1160	G-1225	G-1170	-	-	G-1170	
MARQUINA	G-1320	G-1340	G-1320	G-1340	-	-	G-1190	G-1270	G-1160	G-1225	-	-	-	-	
MOON	G-1320	G-1340	G-1320	G-1340	-	-	G-1190	G-1270	G-1160	G-1225	G-1170	-	-	G-1170	

* Sólo color WHITE. Only WHITE color

** Se realizan bajo pedido. They are made under request

CARACTERÍSTICAS TÉCNICAS · TECHNICAL CHARACTERISTICS

		NORMA DE ENSAYO. TEST STANDARD UNE-EN ISO	NORMA DE PRODUCTO. PRODUCT STANDARD ISO 13006	VALORES PROMEDIO. AVERAGE VALUES TODATECH MARBLES		
				NATURAL	NATURAL R10 SILKTETCH	PULIDO. POLISHED
CARACTERÍSTICAS DIMENSIONALES. DIMENSIONAL CHARACTERISTICS						
	LONGITUD Y ANCHURA. LENGHT AND WIDTH	10545-2	± 0,6 %	± 0,1 %	± 0,1 %	± 0,1 %
	GROSOR. THICKNESS	10545-2	± 5,0 %	± 5,0 %	± 5,0 %	± 5,0 %
	RECTITUD DE LOS LADOS. STRAIGHTNESS OF SIDES	10545-2	± 0,5 %	± 0,1 %	± 0,1 %	± 0,1 %
	ORTOGONALIDAD. RECTANGULARITY	10545-2	± 0,6 %	± 0,2 %	± 0,2 %	± 0,2 %
	PLANITUD DE SUPERFICIE. SURFACE FLATNESS	10545-2	± 0,5 %	± 0,25 %	± 0,25 %	± 0,25 %
PROPIEDADES FÍSICAS. PHYSICAL PROPERTIES						
	ABSORCIÓN DE AGUA. WATER ABSORPTION	10545-3	≤ 0,5%	< 0,1%	< 0,1%	< 0,1%
	FUERZA DE ROTURA (N). BREAKING STRENGHT (N)	10545-2	Min. 1300	<div style="display: flex; justify-content: space-between;"> ☐ 2800 ☐ 3000 </div> <div style="display: flex; justify-content: space-between; font-size: small;"> SLIM 1400 SLIM 1400 SLIM 1400 </div>	<div style="display: flex; justify-content: space-between;"> ☐ 2800 ☐ 3000 </div> <div style="display: flex; justify-content: space-between; font-size: small;"> SLIM 1400 SLIM 1400 </div>	<div style="display: flex; justify-content: space-between;"> ☐ 2800 ☐ 3000 </div> <div style="display: flex; justify-content: space-between; font-size: small;"> SLIM 1400 </div>
	RESISTENCIA A LA FLEXIÓN (N/mm ²). MODULUS OF RUPTURE (N/mm ²)	10545-2	Min. 35	53	53	53
	RESISTENCIA A LA ABRASIÓN PROFUNDA (mm ³). RESISTANCE TO DEEP ABRASION (mm ³)	10545-6	Máx. 175	130	130	130
	COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL (1/K) COEFFICIENT OF LINEAR THERMAL EXPANSION (1/K)	10545-8	Método de ensayo disponible Test method available	6,3 x 10 ⁻⁶	6,3 x 10 ⁻⁶	6,3 x 10 ⁻⁶
	RESISTENCIA AL CHOQUE TÉRMICO. THERMAL SHOCK RESISTANCE	10545-9	Método de ensayo disponible Test method available	Resiste Resist	Resiste Resist	Resiste Resist
	EXPANSIÓN POR HUMEDAD (mm/m). MOISTURE EXPANSION (mm/m)	10545-10	Método de ensayo disponible Test method available	< 0,1%	< 0,1%	< 0,1%
	RESISTENCIA A LA HELADA. FROST RESISTANCE	10545-12	Exigido. Required	Resiste. Resist	Resiste. Resist	Resiste. Resist
	ÁNGULO CRÍTICO DE DESLIZAMIENTO. CRITICAL ANGLE OF SLIP	DIN 51130	-	R9	R10	-
	COEFICIENTE DE FRICCIÓN DINÁMICO (DCOF). DINAMYC FRICTION COEFFICIENT	ANSI A137.1:2012	-	> 42	> 42	-
	DETERMINACIÓN DE LA RESISTENCIA AL DESLIZAMIENTO (MÉTODO DEL PÉNDULO) SLIP RESISTANCE (PENDULUM METHOD)	UNE-ENV 12633 BS EN 13036-4	- -	CLASE 1 > 25	CLASE 2 > 36	- -
PROPIEDADES QUÍMICAS. CHEMICAL PROPERTIES						
	RESISTENCIA A PRODUCTOS DE LIMPIEZA Y ADITIVOS PARA PISCINA RESISTANCE TO HOUSEHOLD CHEMICAL AND SWIMMING POOL SALTS	10545-13	Min. b	A	A	A
	RESISTENCIA A BAJAS CONCENTRACIONES RESISTANCE TO LOW CONCENTRATIONS	10545-13	Indicado por el fabricante Indicated by the manufacturer	LA	LA	LA
	BASES. ALKALIS	10545-13		LA	LA	LB
	RESISTENCIA A ALTAS CONCENTRACIONES RESISTANCE TO HIGH CONCENTRATIONS	10545-13	Método de ensayo disponible Test method available	HA	HA	HA
	BASES. ALKALIS	10545-13		HA	HA	HB
	RESISTENCIA A LAS MANCHAS RESISTANCE TO STAINING	10545-14	Método de ensayo disponible Test method available	5	5	5



TODAGRES

THE TECHNICAL PORCELAIN COMPANY

www.todagres.com



Carretera de Onda, km. 5
12540 VILA-REAL
(Castellón - SPAIN) Apdo.117
Teléfono (+34) 964 500 111
Fax Nacional (+34) 964 527 361
Fax Exportación (+34) 964 534 501
todagres@todagres.com

Portada: Capillas de mármol, Chile/ Fotografía: Jean Paul de la Harpe